

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **SANINDUSA INDUSTRIA DE SANITARIOS S.A.**

ZONA INDUSTRIAL DE AVEIRO SUL - APARTADO 43

PT-3811-901 AVEIRO
Brand : **SANINDUSA**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Renewal Decision SANI dated 28/08/2019

This decision takes the place of any previous decision.

Except in case of withdrawal, suspension or modification, this certificate is valid for 15 months.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 4 pages.


Correspondent :

Martine TRUFFERT

Phone : (33) 01 64 68 82 84

Email : martine.truffert@cstb.fr

For CSTB
On behalf of the President



Yannick LEMOIGNE

Appendix to the Certificate

Renewal Decision SANI dated 28/08/2019

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Pedestal	Water trap cover	Width (mm)
AVEIRO	103300	Wall-hung washbasin	103200		550
DENIA	118480	Large-sized (double-bowl) washbasin			1210
EASY	131320	Wall-hung washbasin	131200		612
PARIS	108370	Built-in toilet washbasin			550

Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)	Option Slipperiness
MORAIRA	107250	Square	To be installed	900	900	
MORAIRA	107170	Square	To be installed	800	800	
MORAIRA	107245	Square	To be installed	800	800	
MORAIRA	107255	Square	To be installed	900	900	
STEPIN	107520	Square	To be installed	800	800	
STEPIN	107542	Rectangular	To built-in or installed	800	1000	
STEPIN	107552	Rectangular	To be installed	800	1200	
STEPIN	107530	Square	To be installed	900	900	
STEPIN	107562	Rectangular	To be installed	700	1000	
STEPIN	107612	Rectangular	Built-in	90	120	
WATERLINE	107780	Square	Built-in	900	900	

Appendix to the Certificate

Renewal Decision SANI dated 28/08/2019

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
AVEIRO	103022	Pedestal, close-coupled cistern, direct flushing	Vitreous china	103113	Horizontale	No	
AVEIRO 70	103042	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale		6
AVEIRO CONFORT	103024	Pedestal, close-coupled cistern, direct flushing	Vitreous china	103113	Horizontale	No	6
CETUS	110032	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	
PROGET CONFORT	13 00 22004	Pedestal, close-coupled cistern, direct flushing	Vitreous china	13 01 11004	Horizontale	No	6
URBY 65	140022	Pedestal, close-coupled cistern, direct flushing	Vitreous china	140111 / 140113	Horizontale	No	
URBY SUSPENDUE	140032	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6

Appendix to the Certificate

Renewal Decision SANI dated 28/08/2019

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
AVEIRO	103113		6	OLIVEIRA NVDF6	OLIVEIRA AZOR LAT	103022 / 103024	
PROGET CONFORMT	13 01 11004		6	SIAMP OPTIMA 49	SIAMP COMPACT 95L	13 00 22004	
URBY	140113		6	OLIVEIRA AZOR LAT	OLIVEIRA NVDF6	140022	

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_BATI	Stop valve ref.	Type
AVEIRO	103923	103022	103113		JBMC / 2032100			6
AVEIRO CONFORT	103924	103024	103113		JBMC / 2032100			6

Colours

Range	Commercial reference	GC	USURE	Sanitary ceramic	Enamelled steel	Enamelled cast iron	Acrylic	Synthetic
BLANC	Néant	Glossy Clear	III	Yes				